EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1359	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L2	1212	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L3	1320	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L4	899	712/219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L5	0	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L6	7	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L7	23	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L8	52	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) same (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42

L9	4	(out?of?order) near4 (bypass$3) near4 buffer$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L10	4	(out?of?order) near4 (bypass$3 or skip$4 or jump$3) near4 buffer$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L11	0	($3dependenc$3) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:42
L12	112	($3dependenc$3) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:43
L13	32	($3dependenc$3) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:43
L14	3	(out?of?order) near4 dependenc$3 near4 buffer$3 near4 execut$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:43
L15	3	(out?of?order) near4 $3dependenc $3 near4 buffer$3 near4 execut$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:43
L16	8	(out?of?order) with ($3dependenc$3 near4 buffer$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:43
L17	18	(out?of?order) with buffer$3 with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:43
L18	212	buffer$3 with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:44
L19	12	(temporary near4 buffer$3) with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:44

L20	86	((data or operand $1) near4 buffer$3) with ($3dependenc $3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:44
L21	75	((data or operand $1) near4 buffer$3) near4 ($3dependenc $3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:44
L22	92	(register adj1 renam $3) near4 (dependenc$3 near4 check$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:44
L23	92	(register adj1 renam $3) near4 (dependenc$3 adj1 check$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:44
L24	2	(register adj1 renam $3) near4 (dependenc$3 near4 (signal$1 or indication$1 or bit $1 or mark$3 or sign $1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:44
L25	47	(register adj1 renam $3) with (dependenc $3 near4 (signal$1 or indication$1 or bit $1 or mark$3 or sign $1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:45
L26	30	(register adj1 renam $3) adj1 dependenc $3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:45
L27	0	(score?board$3) near4 (dependenc $3 near4 check$3) near4 (bypass$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:45
L28	0	((score?board$3) near4 (dependenc $3 near4 check$3)) with ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:45
L29	0	((score?board$3) near4 (dependenc $3 near4 check$3)) same ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:45

L30	5	((dependenc$3 near4 check$3)) same ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L31	23	(dependenc$3 near4 check$3) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L32	23	(dependenc$3 with check$3) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L33	0	((score?board$3) near4 (dependenc $3 near4 check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L34	0	((score?board$3) with (dependenc$3 near4 check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L35	0	((score?board$3) with (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L36	0	((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L37	0	((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L38	0	((score?board$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:46
L39	37	((scoreboard$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:47

L40	4	(((LEENSTRA-JENS$) and (MUELLER-ANTJE$) and (PILLE-JUERGEN$) and (WENDEL-DIETER $)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/07/18 20:49
S1	693	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S2	651	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S3	701	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S4	471	712/219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:04
S5	0	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:20
S6	7	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:09
S7	22	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:49
S8	51	($3dependenc$3 near4 (signal$1 or indication$1 or bit $1)) same (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 14:44
S9	1	(out?of?order) near4 (bypass$3) near4 buffer$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:04

S10	1	(out?of?order) near4 (bypass$3 or skip$4 or jump$3) near4 buffer$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:18
S11	0	($3dependenc$3) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:30
S12	84	($3dependenc$3) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:51
S13	22	($3dependenc$3) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:51
S14	3	(out?of?order) near4 dependenc$3 near4 buffer$3 near4 execut$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:05
S15	3	(out?of?order) near4 $3dependenc $3 near4 buffer$3 near4 execut$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:05
S16	6	(out?of?order) with ($3dependenc$3 near4 buffer$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:07
S17	9	(out?of?order) with buffer$3 with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S18	114	buffer$3 with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S19	0	(temporary near4 buffer$3) with ($3dependenc$3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S20	62	((data or operand $1) near4 buffer$3) with ($3dependenc $3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:13

S21	60	((data or operand $1) near4 buffer$3) near4 ($3dependenc $3 near4 execut$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:13
S22	70	(register adj1 renam $3) near4 (dependenc$3 near4 check$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:54
S23	70	(register adj1 renam $3) near4 (dependenc$3 adj1 check$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:37
S24	0	(register adj1 renam $3) near4 (dependenc$3 near4 (signal$1 or indication$1 or bit $1 or mark$3 or sign $1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:38
S25	27	(register adj1 renam $3) with (dependenc $3 near4 (signal$1 or indication$1 or bit $1 or mark$3 or sign $1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:38
S26	230	(register adj1 renam $3) near4 dependenc$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:02
S27	19	(register adj1 renam $3) adj1 dependenc $3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:55
S28	1	("5,497,499").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:55
S29	20	(register adj1 renam $3) near4 ((allocat $3 or designat$3 or stor$3) near4 (entr $3 or location$3 or point$3 or plac$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:10

S30	71	(register adj1 renam$3) with ((allocat$3 or designat$3 or stor$3) near4 (entr$3 or location$3 or point$3 or plac$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:10
S31	759	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:56
S32	722	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:56
S33	776	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:57
S34	520	712/219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:57
S35	0	(score?board$3) near4 (dependenc$3 near4 check$3) near4 (bypass$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:58
S36	0	((score?board$3) near4 (dependenc$3 near4 check$3)) with ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 13:58
S37	0	((score?board$3) near4 (dependenc$3 near4 check$3)) same ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S38	1	((dependenc$3 near4 check$3)) same ((bypass$3) near4 pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:00
S39	16	(dependenc$3 near4 check$3) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S40	16	(dependenc$3 with check$3) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19

S41	0	((score?board$3) near4 (dependenc $3 near4 check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S42	0	((score?board$3) with (dependenc$3 near4 check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S43	0	((score?board$3) with (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S44	0	((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:19
S45	0	((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:20
S46	0	((score?board$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:20
S47	25	((scoreboard$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 14:20
S48	797	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:42
S49	776	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:42
S50	833	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 15:42

| S51 | 566 | 712/219 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/05/11 15:42 |

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L43	13	712/216	UPAD	OR	OFF	2010/07/18 20:53
L44	3	712/217	UPAD	OR	OFF	2010/07/18 20:53
L45	3	712/218	UPAD	OR	OFF	2010/07/18 20:54
L46	2	712/219	UPAD	OR	OFF	2010/07/18 20:54
L47	1	((LEENSTRA-JENS$) and (MUELLER-ANTJE $) and (PILLE-JUERGEN$) and (WENDEL-DIETER$)).in.	USPAT; UPAD	OR	OFF	2010/07/18 20:54
L48	0	(($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) near4 (buffer near4 address) near4 (active or true or high or set)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 20:59
L49	3	(($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) near4 (buffer near4 address)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 20:59
L50	9	(($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) with (buffer near4 address)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 20:59
L51	9	(($3dependenc$3 near4 (signal$1 or indication$1 or bit$1)) same (buffer near4 address)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00

L52	0	((out?of?order) near4 (bypass$3) near4 buffer$3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L53	0	((out?of?order) near4 (bypass$3 or skip$4 or jump$3) near4 buffer$3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L54	0	(($3dependenc$3) near4 (buffer near4 address) near4 (active or true or high or set)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L55	38	(($3dependenc$3) with (buffer near4 address)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L56	19	(($3dependenc$3) near4 (buffer near4 address)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L57	0	((out?of?order) near4 dependenc$3 near4 buffer$3 near4 execut $3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L58	0	((out?of?order) near4 $3dependenc$3 near4 buffer$3 near4 execut $3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L59	0	((out?of?order) with ($3dependenc$3 near4 buffer$3 near4 execut$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L60	6	((out?of?order) with buffer$3 with ($3dependenc$3 near4 execut$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L61	33	(buffer$3 with ($3dependenc$3 near4 execut$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L62	2	((temporary near4 buffer$3) with ($3dependenc$3 near4 execut$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:00
L63	11	(((data or operand$1) near4 buffer$3) with ($3dependenc$3 near4 execut$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01

L64	10	(((data or operand$1) near4 buffer$3) near4 ($3dependenc$3 near4 execut$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L65	3	(((register adj1 renam $3) near4 (dependenc $3 near4 check$3)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L66	3	(((register adj1 renam $3) near4 (dependenc $3 adj1 check$3)). clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L67	1	(((register adj1 renam $3) near4 (dependenc $3 near4 (signal$1 or indication$1 or bit$1 or mark$3 or sign $1))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L68	2	(((register adj1 renam $3) with (dependenc $3 near4 (signal$1 or indication$1 or bit$1 or mark$3 or sign $1))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L69	0	(((register adj1 renam $3) adj1 dependenc $3).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L70	0	(((score?board$3) near4 (dependenc$3 near4 check$3) near4 (bypass$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L71	0	(((score?board$3) near4 (dependenc$3 near4 check$3)) with ((bypass$3) near4 pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L72	0	(((score?board$3) near4 (dependenc$3 near4 check$3)) same ((bypass$3) near4 pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L73	1	((((dependenc$3 near4 check$3)) same ((bypass$3) near4 pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01

L74	2	(((dependenc$3 near4 check$3) same ((bypass$3) with pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L75	2	(((dependenc$3 with check$3) same ((bypass$3) with pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:01
L76	0	((((score?board$3) near4 (dependenc$3 near4 check$3)) same ((bypass$3) with pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:02
L77	0	((((score?board$3) with (dependenc$3 near4 check$3)) same ((bypass$3) with pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:02
L78	0	((((score?board$3) with (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:02
L79	0	((((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) with pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:02
L80	0	((((score?board$3) same (dependenc$3 with check$3)) same ((bypass$3) same pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:02
L81	0	((((score?board$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:02
L82	0	((((scoreboard$3) same (dependenc$3 same check$3)) same ((bypass$3) same pipelin$3)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/07/18 21:02

7/18/10 9:02:45 PM
C:\ Documents and Settings\ ALi\ My Documents\ EAST\ Workspaces\ 09683383.wsp